## PCT

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:	51) International Patent Classification 5: (11		nternational Publication Number:	WO 93/11747
A61K 9/00, 9/12	A1	(43) Iı	ternational Publication Date:	24 June 1993 (24.06.93
(21) International Application Number: PCT/US (22) International Filing Date: 11 December 1992		`	(4) Agents: REEDICH, Douglas, E and Manufacturing Compar Property Counsel, Post Offic MN 55133-3427 (US).	v Office of Intellectua
(30) Priority data: 07/809,791 07/810,401 07/878,039  18 December 1991 (18.12 18 December 1991 (18.12 4 May 1992 (04.05.92)	2.91) 1	JS (1	BI) Designated States: AU, CA, JP, BE, CH, DE, DK, ES, FR, C NL, PT, SE).	NZ, European patent (AT GB, GR, IE, IT, LU, MC
(71) Applicant: MINNESOTA MINING AND MA TURING COMPANY [US/US]; 3M Center, fice Box 33427, Saint Paul, MN 55133-3427 (U	Post (	C- P	ublished With international search repor	<i>t</i> .
(72) Inventors: SCHULTZ, Robert, K.; SCHULTZ, I; Post Office Box 33427, Saint Paul, MN 52 (US). OLIVER, Martin, J.; 51 Pinfold Gate, rough, Leicestershire LE11 1BG (GB). MORIS A.; Post Office Box 33427, Saint Paul, MN 52 (US). JINKS, Philip, A.; 91 Rockhill Drive, M rel, Leicestershire LE12 7DS (GB).	5133-34 Lought S, Robe 5133-34	27 00- ort, 27		
(54) Title: SUSPENSION AEROSOL FORMULAT				

(57) Abstract

Pharmaceutical suspension aerosol formulations containing a therapeutically effective amount of a drug and HFC 134a, HFC 227, or a mixture thereof.

**ب**ة ---

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

		FR	France	MR	Mauritania
ΑT	Austria		Gabon	MW	Malawi
. AU	Australia	GA		NL	Netherlands
88	Barbados	GB	United Kingdom	NO	Norway
BE	Belgium	GN	Guinca	NZ	New Zealand
BF	Burkina Faso	GR	Greece		
BG	Bulgaria	HU	Hungary	PL	Poland
BJ.	Bunin	1E	treland	PT	Portugal
		1T	italy	RO	Romania
BR	8razil	JP	Japan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic	N.F	of Korca	SE	Sweden
CC	Congo			SK	Slovak Republic
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	ΚZ	Kazakhstan	รบ	Soviet Union
CM.	Canteroon	LI	Liechtenstein		Chad
cs	Czechoslovakia -	LK	Sri Lanka	TD	
cz	Czech Republic	LU	Luxembourg	TG	Tago
DE	Germany	MC	Munaco	UA	Ukraine
	<b>-</b>	MG	Madagascar	US	United States of America
DK	Denmark	Mi.	Mali	VN	Vict Nam
ES	Spain	MN	Mongolia		•
FI	Finland	MIM	mongona		

PCT/US92/10587

#### SUSPENSION AEROSOL FORMULATIONS

#### BACKGROUND OF THE INVENTION

#### 5 Field of the Invention

This invention relates to pharmaceutical aerosol formulations. In another aspect this invention relates to pharmaceutical suspension aerosol formulations wherein the propellant comprises HFC 134a or HFC 227. In another aspect, it relates to pharmaceutical suspension aerosol formulations containing pirbuterol. In another aspect, it relates to pharmaceutical suspension aerosol formulations containing albuterol sulfate.

15

#### Description of the Related Art

Pharmaceutical suspension aerosol formulations currently use a mixture of liquid chlorofluorocarbons as the propellant.

20 Fluorotrichloromethane, dichlorodifluoromethane and dichlorotetrafluoroethane are the most commonly used propellants in aerosol formulations for administration by inhalation.

Chlorofluorocarbons (CFCs), however, have

25 been implicated in the destruction of the ozone layer
and their production is being phased out.

Hydrofluorocarbon 134a (HFC 134a, 1,1,1,2tetrafluoroethane) and hydrofluorocarbon 227 (HFC 227,
1,1,1,2,3,3,3-heptafluoropropane) are viewed as being

30 more ozone friendly than many chlorofluorocarbon
propellants; furthermore, they have low toxicity and
vapor pressures suitable for use in aerosols.

Patent Applications WO 91/11495 and WO 91/11496 (both by Weil) describe pharmaceutical suspension aerosol formulations comprising a medicinal agent, optionally a surfactant, and a propellant mixture containing 1,1,1,2,3,3,3-heptafluoropropane and one or more additional components, e.g., pentane,

a drug.

butane, propellant 134a, propellant 11, propellant 125, or propellant 152a.

European Patent Office Publication 0 384 371 (Heiskel) describes solution aerosols in which 5 1,1,1,2,3,3,3-heptafluoropropane or its mixture with propane, butane, isobutane, dimethyl ether, or 1,1-difluoroethane serves as the propellant. The application does not, however, disclose suspension aerosols or pharmaceutical aerosol formulations.

10 European Patent Application 89.312270.5

(Purewal et al.) discloses, inter alia, aerosol
formulations comprising a medicament, 1,1,1,2tetrafluoroethane, a surface active agent, and at least
one compound having higher polarity than 1,1,1,215 tetrafluoroethane.

U.S. Pat. No. 2,868,691 (Porush et al.)
discloses aerosol formulations comprising a medicament,
a halogenated lower alkane propellant, and a cosolvent
which assists in dissolving the medicament in the
propellant. The chemical formula for the propellant
given in Col. 2, lines 6-16, generically embraces HFC
134a and HFC 227. Examples of cosolvents disclosed
include ethanol and diethyl ether.

U.S. Pat. No. 3,014,844 (Thiel et al.)

25 discloses aerosol formulations comprising a micronized medicament, a halogenated lower alkane propellant and a surface-active agent to assist in the suspension of the medicament in the propellant. The chemical formula for the propellant given in Col. 4, lines 17-28,

30 generically embraces HFC 134a and HFC 227.

Patent Application WO 90/01454 (Greenleaf et al.) discloses aerosol compositions having HFC 134a as the propellant and comprising a medicament coated with a non-perfluorinated surface active dispersing agent.

This application describes control formulations containing only HFC 134a and 0.866 percent by weight of

WO 93/11747 PCT/US92/10587

- 3 -

Albuterol sulfate is a relatively selective beta-2 adrenergic bronchodilator. It is available in a variety of dosage forms including tablets, syrups and formulations suitable for inhalation. For example, 5 VENTOLIN™ Inhalation Aerosol (commercially available from Allen & Hansburys) is a metered dose aerosol unit containing a microcrystalline suspension of albuterol (free base) in propellant (a mixture of trichloromonofluoromethane and dichlorodifluoromethane) 10 with oleic acid. VENTOLIN ROTOCAPS™ for Inhalation (commercially available from Allen & Hansburys) contain a mixture of microfine albuterol sulfate with lactose and are intended for use with a specially designed device for inhaling powder. VENTOLIN™ Solution for 15 Inhalation (commercially available from Allen & Hansburys) is an aqueous solution of albuterol sulfate intended for use with a nebulizer.

Pirbuterol acetate is a relatively selective beta-2 adrenergic bronchodilator. MAXAIR™ Inhaler

20 (commercially available from 3M Pharmaceuticals, St. Paul, MN) is a metered dose aerosol unit containing a fine-particle suspension of pirbuterol acetate in the propellant mixture of trichloromonofluoromethane and dichlorodifluoromethane, with sorbitan trioleate.

25

#### Summary of the Invention

This invention provides a pharmaceutical suspension formulation suitable for aerosol administration, consisting essentially of a

30 therapeutically effective amount of a drug and a propellant selected from the group consisting of HFC 134a, HFC 227, and a mixture thereof, said formulation being further characterized in that it exhibits substantially no growth in particle size or change in 35 crystal morphology of the drug over a prolonged period, is substantially and readily redispersible, and upon redispersion does not flocculate so quickly as to prevent reproducible dosing of the drug.

This invention also provides an aerosol canister containing a formulation as described above in an amount sufficient to provide a plurality of therapeutically effective doses of the drug. 5 provided is a method of preparing a formulation as described above, comprising the steps of: combining an amount of the drug sufficient to provide a plurality of therapeutically effective doses and a propellant selected from the group consisting of HFC 10 134a, HFC 227, and a mixture thereof, in an amount sufficient to propel from an aerosol canister a plurality of therapeutically effective doses of the drug; and (ii) dispersing the drug in the propellant. This invention further provides a method of treating a 15 mammal having a condition capable of treatment by inhalation, comprising the step of administering by inhalation a formulation as described above to the mammal.

In another aspect, this invention provides 20 suspension aerosol formulations comprising a therapeutically effective amount of micronized albuterol sulfate and HFC 227 as substantially the only propellant. This invention also provides suspension aerosol formulations comprising a therapeutically 25 effective amount of micronized albuterol sulfate, from about 0.1 to about 15 percent by weight of ethanol, and HFC 227 as substantially the only propellant. invention also provides suspension aerosol formulations comprising a therapeutically effective amount of 30 micronized albuterol sulfate, from about 5 to 15 percent by weight of ethanol, from about 0.05 to about 0.5 percent by weight of a surfactant selected from the group consisting of oleic acid and sorbitan trioleate, and HFC 227 as substantially the only propellant.

In another aspect this invention provides suspension aerosol formulations comprising a therapeutically effective amount of micronized pirbuterol acetate and a propellant comprising HFC 227,

the formulation being further characterized in that it is substantially free of perfluorinated surfactant. This invention also provides suspension aerosol formulations comprising a therapeutically effective amount of micronized pirbuterol acetate, about 0.1 to about 12 percent by weight of ethanol, and a propellant comprising HFC 227. This invention also provides suspension aerosol formulations comprising a therapeutically effective amount of micronized pirbuterol acetate, about 5 to about 12 percent by weight of ethanol, about 0.05 to about 0.5 percent by weight of oleic acid, and a propellant comprising HFC 227.

This invention also provides a method for inducing bronchodilation in a mammal, comprising administering to the mammal a formulation as described above by inhalation.

#### <u>Detailed Description of the Invention</u>

The term "suspension aerosol formulation" as used herein refers to a formulation in which the drug is in particulate form and is substantially insoluble in the propellant.

Amounts expressed herein in terms of percent 25 refer to percent by weight based on the total weight of the formulation.

The formulations of the invention that consist essentially of drug and a propellant contain drug and propellant in relative amounts such that a formulation suitable for aerosol administration is obtained without the need for additional components. Such formulations preferably contain less than an effective stabilizing amount of surfactant and more preferably are substantially free of surfactant and other components.

The formulations of the invention contain a drug in a therapeutically effective amount, that is, an amount such that the drug can be administered as an

aerosol (e.g., topically or by oral or nasal inhalation) and cause its desired therapeutic effect with one dose, or less preferably several doses, from a conventional valve, e.g., a metered dose valve.

5 "Amount" as used herein refers to quantity or to concentration as appropriate to the context. The amount of a drug that constitutes a therapeutically effective amount varies according to factors such as the potency, efficacy, and the like, of the particular drug, on the route of administration of the

formulation, and on the device used to administer the formulation. A therapeutically effective amount of a particular drug can be selected by those of ordinary skill in the art with due consideration of such

15 factors. Particularly in formulations of the invention intended for oral inhalation into the lungs, the drug is preferably micronized, i.e., about 90 percent or more of the particles have a diameter of less than about 10 microns, in order to assure that the particles can be inhaled into the lungs.

The particular amount of drug that will remain suspended in a formulation of the invention for a time sufficient to allow reproducible dosing of the drug depends to some extent on the nature of the particular drug, e.g., its density, and on the particular propellant used in the formulation. Generally, however, it has been found that when drug concentrations of less than about 0.1 percent are used in a formulation of the invention the drug flocculates to some degree but generally does not settle or cream to the extent that the suspension becomes unsuitable for use as an aerosol formulation, e.g., in a metered dose inhaler. Therefore as regards drug concentration such formulations are acceptably homogeneous.

When drug concentrations greater than about 0.1 percent but less than about 0.5 percent are used in a formulation of the invention it is sometimes seen that the drug flocculates considerably in the

formulation and therefore might have an increased tendency to cream or settle. As discussed below in connection with the propellant component of the formulations of the invention, in these instances it is preferable to select the propellant in a manner that minimizes creaming and settling of the drug in order to assure that the formulation is acceptably homogeneous as regards drug concentration.

As drug concentration increases, e.g., beyond
10 about 0.5 percent, the tendency of the drug to
flocculate generally increases also. However, the
volume occupied by the flocculated drug also increases
and the flocculated drug begins to occupy substantially
all of the volume of the formulation. In such
15 instances the flocculated drug often shows a lesser
tendency to cream or settle. As regards drug
concentration such formulations are acceptably
homogeneous.

Generally the concentration of the drug in a 20 formulation of the invention is preferably less than about 0.1 percent, more preferably less than about 0.08 percent, and most preferably less than about 0.05 percent. Accordingly, it is preferred according to this invention that the drug have a potency such that 25 concentrations less than about 0.1 percent, more preferably less than about 0.08 percent, and most preferably less than about 0.05 percent, are therapeutically effective. Preferred drugs for use in the formulations of the invention therefore include 30 formoterol, salmeterol, and pharmaceutically acceptable salts thereof, particularly formoterol fumarate. drugs that can be formulated according to this invention include albuterol, beclomethasone dipropionate, cromolyn, pirbuterol, and 35 pharmaceutically acceptable salts and solvates thereof, particularly albuterol sulfate, disodium cromoglycate, and pirbuterol acetate.

The propellant in a formulation of the invention can be HFC 134a, HFC 227, or a mixture thereof in any proportion. The propellant is present in an amount sufficient to propel a plurality of doses 5 from a metered dose inhaler. The density of HFC 134a differs from the density of HFC 227. Therefore the density of the propellant can be adjusted within limits by using mixtures of HFC 134a and HFC 227 in order to accommodate the density of the drug. It is sometimes 10 preferred that the propellant be selected such that the propellant density is as closely matched as possible to the drug density in order to minimize tendencies for the drug to settle or cream, particularly when drug concentration is greater than 0.1 percent or when the 15 drug concentration is between about 0.1 percent and about 0.5 percent.

The pirbuterol acetate formulations of the invention contain a therapeutically effective amount of pirbuterol acetate. Preferably, the pirbuterol acetate 20 constitutes about 0.4 to about 1.0 percent by weight, more preferably about 0.45 to about 0.9 percent by weight, of the aerosol formulation. Preferably the pirbuterol acetate is micronized.

pirbuterol acetate aerosol formulation of the invention. When ethanol is present it constitutes from about 0.1 to about 12 percent by weight, preferably from about 5 to about 12 percent by weight of the aerosol formulation. In another aspect of this invention ethanol preferably constitutes from about 2 to about 8 percent by weight of the formulation. Oleic acid can optionally be included in a pirbuterol acetate formulation of the invention that includes ethanol. When oleic acid is present it constitutes about 0.01 to about 0.5 percent by weight of the formulation.

Typically the propellant constitutes the remainder of the weight of the formulation once the pirbuterol acetate and the optional ethanol and oleic

acid are accounted for. Accordingly the propellant is generally present in an amount of at least about 85 percent by weight based on the total weight of the formulation. The propellant in a pirbuterol acetate 5 formulation of the invention comprises HFC 227, preferably as substantially the only propellant. However, one or more other propellants such as propellant 142b (1-chloro-1,1-difluoroethane), HFC 134a, and the like can be used, preferably in pirbuterol acetate formulations of the invention containing ethanol.

Preferred pirbuterol acetate formulations of the invention exhibit substantially no growth in particle size or change in crystal morphology of the pirbuterol acetate over a prolonged period, are substantially and readily redispersible, and upon redispersion do not flocculate so quickly as to prevent reproducible dosing of pirbuterol acetate.

The albuterol sulfate formulations of the
invention contain a therapeutically effective amount of
micronized albuterol sulfate. Preferably micronized
albuterol sulfate constitutes about 0.2 to about 0.5
percent by weight, more preferably from about 0.35 to
about 0.42 percent by weight of the aerosol
formulation.

Ethanol can optionally be included in such an albuterol sulfate formulation of the invention. When ethanol is present it constitutes from about 0.1 to about 20 percent by weight, preferably from about 5 to 30 about 15 percent by weight of the formulation. A surfactant selected from the group consisting of oleic acid and sorbitan trioleate can also optionally be included in the formulation when the formulation also includes ethanol. When a surfactant is present it constitutes about 0.01 to about 0.5 percent by weight of the aerosol formulation. Albuterol sulfate formulations of the invention that do not contain

ethanol are preferably substantially free of perfluorinated surfactant.

Certain preferred albuterol sulfate
suspension aerosol formulations of the invention
5 comprise HFC 227 as substantially the only propellant.
Typically the propellant constitutes the remainder of
the weight of the formulation once the albuterol
sulfate and the optional surfactant and/or ethanol are
accounted for. Accordingly the propellant is generally
present in an amount of at least about 75 percent by
weight based on the total weight of the formulation.

Preferred albuterol sulfate formulations of the invention exhibit substantially no growth in particle size or change in crystal morphology of the albuterol sulfate over a prolonged period, are substantially and readily redispersible, and upon redispersion do not flocculate so quickly as to prevent reproducible dosing of albuterol sulfate.

Generally the formulations of the invention

20 can be prepared by combining (i) the drug in an amount
sufficient to provide a plurality of therapeutically
effective doses; and (ii) the propellant in an amount
sufficient to propel a plurality of doses from an
aerosol canister; and dispersing the drug in the

25 propellant. The drug can be dispersed using a
conventional mixer or homogenizer, by shaking, or by
ultrasonic energy. Bulk formulation can be transferred
to smaller individual aerosol vials by using valve to
valve transfer methods or by using conventional cold30 fill methods.

The pirbuterol acetate suspension aerosol formulations of this invention can be prepared by combining the pirbuterol acetate and the propellant and then dispersing the pirbuterol acetate in the propellant using a conventional mixer or homogenizer. Pirbuterol acetate, however, is somewhat soluble in ethanol alone. Accordingly, when oleic acid and/or ethanol are included in the formulation, it is

preferred that the pirbuterol acetate be first placed in an aerosol vial. A mixture of the propellant, oleic acid and/or ethanol can then be added, and the pirbuterol acetate dispersed in the mixture.

formulations of this invention can be prepared by combining the albuterol sulfate and the propellant and dispersing the albuterol sulfate in the propellant using a conventional mixer or homogenizer. When a surfactant and/or ethanol are included in the formulation, they can be added to the propellant along with the albuterol sulfate.

Aerosol canisters equipped with conventional valves, preferably metered dose valves, can be used to 15 deliver the formulations of the invention. It has been found, however, that selection of appropriate valve assemblies for use with aerosol formulations is dependent upon the particular surfactants or adjuvants used (if any), on the propellant, and on the particular 20 drug being used. Conventional neoprene and buna valve rubbers used in metered dose valves for delivering conventional CFC formulations often have less than optimal valve delivery characteristics and ease of operation when used with formulations containing HFC 25 134a or HFC 227. Moreover, conventional CFC formulations generally contain a surfactant in part as a lubricant for the valve stem. Some formulations of the invention, however, do not contain a surfactant or Therefore certain formulations of the a lubricant. 30 invention are preferably dispensed via a valve assembly wherein the diaphragm is fashioned by extrusion, injection molding or compression molding from a thermoplastic elastomeric material such as FLEXOMERT DFDA 1137 NT7 polyolefin, FLEXOMER™ DFDA 1138 NT 35 polyolefin, FLEXOMER™ DEFD 8923 NT polyolefin, FLEXOMER™ GERS 1085 NT polyolefin, FLEXOMER™ DFDA 1163 NT7 polyolefin, FLEXOMER™ 1491 NT7 polyolefin, FLEXOMER™ 9020 NT7 polyolefin, FLEXOMER™ 9042 NT

WO 93/11747 PCT/US92/10587

- 12 -

polyolefin (Union Carbide), C-FLEX™ thermoplastic elastomer R70-001, C-FLEX™ thermoplastic elastomer R70-051, C-FLEX™ thermoplastic elastomer R70-041, C-FLEX™ thermoplastic elastomer R70-085, C-FLEX™ thermoplastic elastomer R70-003, or C-FLEX™ thermoplastic elastomer R70-026 (Concept Polymer Technologies), or a blend of two or more thereof.

conventional aerosol canisters, e.g., those of aluminum, glass, stainless steel, or polyethylene terephthalate, can be used to contain a formulation of the invention.

The formulations of the invention can be delivered to the lung by oral inhalation in order to effect bronchodilation or in order to treat a condition susceptible of treatment by inhalation, e.g., asthma, chronic obstructive pulmonary disease. The formulations of the invention can also be delivered by nasal inhalation in order to treat, e.g., allergic rhinitis, rhinitis, or diabetes, or they can be delivered via topical (e.g., buccal) administration in order to treat, e.g., angina or local infection.

The following Examples are provided to illustrate the invention. All parts and percentages are by weight unless otherwise indicated.

25

#### Example 1

## Formulations in HFC 134a

For each of the micronized drug substances A-G set forth below, formulations were prepared at drug concentrations of 0.017 percent, 0.039 percent, 0.083 percent, 0.41 percent, and 1.6 percent by weight based on the total weight of the formulation (corresponding to 0.20 mg/mL, 0.50 mg/mL, 1.0 mg/mL, 5.0 mg/Ml, and 20 mg/mL, respectively). The formulations were prepared by dispersing micronized drug in HFC 134a in a sealed 15 mL clear PET vial using ultrasonic energy.

	Drugs:	A	Beclomethasone dipropionate
		В	Albuterol
		С	Albuterol sulfate
		D	Formoterol fumarate
5		E	Disodium cromoglycate
		F	Pirbuterol acetate

For each drug the lowest concentration formulation (0.017 percent by weight) was well

10 dispersed and easily redispersible after standing. None of the formulations at this concentration showed any tendency to flocculate rapidly. As drug concentration increased to 0.41 percent visible flocs started to appear, different drugs having a greater or lesser tendency to flocculate. The increase in flocculation with increasing concentration resulted in an increasing rate of sedimentation or creaming (depending on the particular drug involved) of suspended drug.

As drug concentration was further increased the formulations flocculated but maintained a state of greater homogeneity as the flocculated drug began to occupy more of the formulation volume.

Using time lapse photography 10 and 30 25 seconds after agitation the formulations were assessed as follows:

	Concentration(%)		Drug				
		A	В	С	D	E	F
30	0.017	. +	+	+	+	+	+
	0.039	+	+	+	?	+	+
	0.083	?.	?	+	?	?	?
•	0.41	-	-	-	_	_	?
	1.63	+	+	-	+	-	+

+ = visually acceptable formulation

- = visually unacceptable formulation

? = border line acceptable formulation

WO 93/11747 PCT/US92/10587

- 14 -

These results show that each of the drug substances evaluated can be formulated in HFC 134a alone. The formulations retain homogeneity after shaking to form satisfactory formulations for use with a metered dose inhaler. Formulations of low concentration were particularly homogenous. Formulations of intermediate concentration were of varying degrees of acceptability.

At the high concentration of 1.6 percent the

10 drugs with density close to the propellant density
(beclomethasone dipropionate and albuterol) formed
particularly homogenous suspensions due to the
flocculated drug occupying substantially all of the
formulation volume. These suspensions would be

15 expected to form satisfactory formulations for use with
a metered dose inhaler.

#### Example 2

## Formulations in HFC 227

Formulations of disodium cromoglycate (DSCG) were prepared at concentrations of 0.015 percent, 0.035 percent, 0.070 percent, 0.35 percent, and 1.4 percent by weight based on the weight of the formulation with HFC 227 as the propellant in a similar manner to those prepared in Example 1 (again corresponding to 0.20, 0.50, 1.0, 5.0, and 20 mg/mL, respectively).

Formulations were particularly homogenous at concentrations of 0.015 percent, 0.035 percent, and 0.070 percent by weight. At 0.35 percent and 1.4 percent the formulations exhibited more rapid flocculation and sedimentation.

These results show that disodium cromoglycate can be formulated in HFC 227 with no surfactant or other adjuvant.

WO 93/11747 PCT/US92/10587

- 15 -

#### Comparative Example

#### Formulations with CFCs

Albuterol sulfate was formulated in two propellant mixes A and B, with no surfactant or 5 adjuvant.

	Propellant	mix A:	Propellant	11	5%
			Propellant	114	14.25%
			Propellant	12	80.75%
10	Propellant	mix B:	Propellant	11	25%
			Propellant	114	25%
			Propellant	12	50%

For each propellant mix the range of drug concentrations used in Example 1 was used.

The formulations at 0.20 mg/mL, 0.50 mg/mL, and 1.0 mg/mL were acceptably homogenous. The formulations at 5.0 mg/mL and 20 mg/mL exhibited

20 relatively rapid flocculation. Notably, all these comparative formulations exhibited more caking of drug on the walls of the container than their HFC 134a counterparts of Example 1.

#### 25 Example 3

Formulation of Formoterol Fumarate with Mixtures of HFC 227 and HFC 134a

Formoterol fumarate was formulated as set forth in Example 1 at concentrations of 0.015 percent, 0.038 percent, 0.076 percent, 0.38 percent, and 1.5 percent (0.20, 0.50, 1.0, 5.0, and 20 mg/mL, respectively) in a 1:1 mixture (W/W) of HFC 134a and HFC 227.

These formulations of formoterol fumarate
35 show reduced flocculation and a slower sedimentation
rate than the corresponding formulations of Example 1
above involving HFC 134a alone.

The formulations were photographed using time lapse photography at 10 and 30 seconds post agitation and were assessed as follows:

5	Drug Concentration(%)	<u>Assessment</u>
	0.015	+
	0.038	+
	0.076	?
	0.38	?
10	1.5	+

These results show that the use of HFC 227 in combination with HFC 134a as a propellant affords formoterol fumarate suspensions with reduced
15 flocculation and greater homogeneity compared with corresponding formulations with HFC 134a alone as the propellant.

#### Example 4

- Formulations of Beclomethasone Dipropionate (BDP)

  BDP formulations were prepared at 0.070

  percent by weight (1.0 mg/mL) in HFC 227 and at 0.38

  percent by weight (5.0 mg/mL) in a 1:1 mixture of HFC

  227 and HFC 134a.
- 25 The formulation at 0.070 percent in HFC 227 was fairly well dispersed. Flocculation occurred at about 10 seconds after shaking and then creaming about 30 seconds after shaking.
- The formulation at 0.38 percent in HFC

  30 134a/HFC 227 involved a drug with a density closely
  matched to the propellant density. Although
  flocculation was rapid (small flocs were visible almost
  immediately after shaking) the flocs neither settled
  nor creamed.
- The results show that it is possible to density match the drug to the propellant mix such that only the flocculation characteristics of the formulations influence homogeneity.

WO 93/11747 PCT/US92/10587

- 17 -

#### Example 5

Formulations in HFC 134a and HFC 227

Formulations of salmeterol free base at 0.02

percent by weight and 0.05 percent by weight were

5 prepared in HFC 134a and in HFC 227 by placing the drug and 5 mL of glass beads into a 15 mL glass vial, crimping on a continuous valve, and adding the appropriate amount of propellant. The formulations were shaken on a paint shaker for 10 min in order to

10 disperse the drug. The drug was seen to cream in both propellants, more so in HFC 227 than in HFC 134a.

Flocculation was also apparent. However, the formulations were deemed suitable for use in connection with a metered dose inhaler.

15

#### Example 6

Formoterol Formulations in HFC 227
A formulation containing 0.01 percent by
weight of formoterol fumarate in HFC 227 was prepared
in an aerosol canister equipped with a 50 μL
SPRAYMISER™ pressure-fill metered dose valve. The
formulation was prepared by placing 10 mg formoterol
fumarate and 30 mL of glass beads in a 120 mL (4 ounce)
glass vial, crimping on continuous valve, and adding
100 g of HFC 227. The vial was then shaken on a paint
shaker, chilled, and the contents transferred to 10 mL
vials fitted with the metered dose valve. The
suspension was acceptably stable to settling and
creaming. Valve delivery was measured through the life
of the formulations. The results are shown in the
Table below.

			SHOT NUM	BER (micro	grams per s	<u>shot)</u>	
		1-4	54-57	107-110	160-163	<u> 173-177</u>	
35	vial #1	3.0	4.7	4.2	4.8	3.1	
	vial #2	2.7	4.1	4.1	4.1	3.6	
					135-138	<u> 148-151</u>	
	vial #3	4.1	5.1	4.8	4.8	4.0	

#### Example 7

Formoterol Formulations in HFC 134a

A formulation containing 0.02 percent by

5 weight formoterol fumarate in HFC 134a was prepared and tested using a 50 µL SPRAYMISER™ pressure-fill metered dose valve. Test methods and results are set forth below.

The particle size distribution of drug in the aerosol suspension is assayed by Malvern Mastersizer™ Particle Size Analyser using a suspending medium of 0.01 percent sorbitan trioleate in heptane.

Using a primed connector, shots are fired via an injection adapter into the Malvern sample cell containing the suspending medium. When a suitable level of obscuration (in the range 8.5 - 9) is achieved, analysis by laser diffraction is then 20 performed.

The results below show the percentage by weight of particles having particle size below 10.7 μm, below 5.07 μm, and below 1.95 μm. The "Initial" entries represent the average of three independent determinations, and the "25°C", "CYC", and "HHC" entries represent a single determination after one month under the indicated storage conditions.

		·	Unit 1			Unit 2	
	Particle <u>Size (μπ</u>		<5.07	<u>&lt;1.95</u>	<10.7	<5.07	<1.95
5			P	ercent 1	by weight	<u>t</u>	
10	Initial	99.6	93.4	32.2	98.0	92.6	30.5
	25°C 1 Month	99.8	.93.6	36.3	99.9	94.8	31.7
15	CYC 1 Month	99.8	92.9	36.1	99.8	92.5	32.5
-	HHC 1 Month	99.8	93.1	33.5	99.7	92.4	34.9
20							
	25°C:	samples	stored at	25°C			
25	CYC:	samples per day,	cycled be twelve h	tween 19 ours at	oc and seach tend	37°C, one	cycle
		samples approxim humidity	stored in ately 40°	a high C and 85	humidity percent	cabinet relativ	at e
3.0		_					

#### VALVE DELIVERY

individual canisters. Each canister is primed by firing 10 successive shots just prior to the determination. The weight in mg of one shot from each of the 30 canisters is measured. The average weight of the 30 doses is calculated and recorded as the mean. Also shown below is the number of individual dose weights differing by more than 7.5 percent and by more than 15 percent from the mean weight.

WO 93/11747 PCT/US92/10587

- 20 -

 Mean Valve
 > 7.5% from
 > 15% from

 Delivery (mg)
 mean
 mean

 59.1
 0
 0

5 THROUGH LIFE DELIVERY

Delivery of drug ex valve is determined by firing ten shots through a stainless steel, circular adapter boss under liquid. The aerosol canister to be examined is primed prior to use. The canister is shaken and allowed to stand for 15 seconds between shots. The sample solutions are assayed by HPLC.

The above test was carried out on shots 6-15,

46-55, and 91-100 of the canister.

			Shots	
		<u>6-15</u>	46-55	<u>91-100</u>
		Through Life	Delivery	(µg/dose)
	<u>Initial</u>			
5	Unit 1	7.19	9.18	8.77
	Unit 2	6.55	9.20	11.77
	Unit 3	7.17	8.99	7.53
	1 Month (25°C)			
10	Unit 1 ·	9.09	9.09	8.47
	Unit 2	8.99	9.71	7.77
	1 Month (CYC)			
	Unit 1	8.58	7.86	6.82
15	Unit 2	9.12	9.29	7.75
	1 Month (HHC)			
	Unit 1	6.93	7.98	7.76
	Unit 2	9.83	9.27	8.80
20			_	
			_	

25°C: samples stored at 25°C

25 CYC: samples cycled between 15°C and 37°C, one cycle per day, twelve hours at each temperature

HHC: samples stored in a high humidity cabinet at approximately 40°C and 85 percent relative

30 humidity

#### 35 TWIN STAGE IMPINGER

Glass impinger apparatus A (BP198 Appendix XV11C) is used. To determine the deposition of the emitted dose, the apparatus is assembled as described. The oral adapter is attached to the throatpiece of the apparatus, and a suitable pump is connected to the outlet of the apparatus. The air flow through the apparatus is 60 ± 5 liters per minute measured at the inlet of the throat. The canister to be examined is

primed prior to use, shaken, and allowed to stand for 15 seconds between shots. Ten shots are then fired via the adapter into the apparatus from the canister.

The apparatus is then dismantled and each stage washed with the appropriate amount of methanol. The washings are assayed by HPLC to give the content of the drug found at each stage and also the material balance.

10	•	% Stem/ Adapter	<u>%Stage 1</u>	<u>%Stage 2</u>		Delivery
15	Initial Unit 1 Unit 2 Unit 3	26.0 24.7 28.5	37.5 35.3 36.7	36.5 40.0 34.8	63.2 81.0 80.9	59.9 59.7 59.3
20	1 Month Unit 1 Unit 2	(25°C) 52.5 52.0	23.9 16.7	23.6 31.3	80.5 76.2	58.8 52.0
25	1 Month Unit 1 Unit 2	(CYC) 16.8 24.6	53.6 47.6	29.7 27.8	70.9 82.6	57.9 60.0
30	1 Month Unit 1 Unit 2	(HHC) 33.9 15.3	37.0 60.4	29.0 24.3	82.2 81.4	59.6 60.7
	25°C:	camples C	tored at 2	een 15°C a	nd 37°C,	one cycle
40	ннс:	comples s	twelve hou tored in a tely 40°C	high humi	dity cabi	net at

#### Example 8

A 1.35 g portion of micronized pirbuterol acetate, 15.0 g of ethanol and 30 mL of glass beads 5 were placed in a 120 mL (4 ounce) glass aerosol vial. The vial was sealed with a continuous valve, pressure filled with approximately 133 g of HFC 227 and then shaken on a paint shaker for 10 minutes. The resulting formulation contained 0.9 percent by weight of 10 pirbuterol acetate and 10.0 percent by weight of ethanol. The dispersion was transferred into 10 mL aerosol vials which were sealed with 25 μL Spraymiser Aerosol Valves (available from Neotechnic Engineering Ltd.).

This formulation was tested for its ability to deliver a consistent dose throughout the "life" of the aerosol by determining the amount of pirbuterol acetate delivered per shot for shots 1, 2, 101, 102, 201, 202, 301 and 302. The amount delivered per shot was determined using the assay described below. The results are shown in the table below.

A firing disk was placed in a 100 mL beaker and submerged in about 30 mL of diluent (55 parts methanol/ 45 parts 0.1 percent phosphoric acid, v/v).

25 The vial was shaken, inserted into the firing disk, and actuated. The valve and valve stem were rinsed into the beaker with additional diluent. The solution in the beaker was quantitatively transferred to a 100 mL volumetric flask which was then brought to volume with additional diluent. The amount of pirbuterol acetate in the solution was determined using high performance liquid chromatography.

μg Pirbuterol Acetate							
# of shots	Vial 1	Vial 2	Vial 3				
1	415.4	379.3	360.1				
2	378.7	361.0	322.1				
101	404.0	380.4	374.7				
102	352.0	389.1	337.9				
201	376.8	380.6	337.5				
202	371.5	357.8	328.6				
301	288.2	408.8	361.1				
302	193.4	364.5	341.0				

Example 9

A 11.7 g portion of pirbuterol acetate was

placed in a beaker then chilled in a dry
ice/trichlorofluoromethane bath. A portion of
prechilled HFC 227 was added to the beaker and the
resulting slurry was mixed at high speed with a VIRTIS™
Model 45 mixer for at least 3 minutes. The dispersed

concentrate was then transferred to a glass bottle and
enough prechilled HFC 227 was added to bring the total
net content weight to 1300 g. The resulting formulation
contained 0.9 percent by weight of pirbuterol acetate.
The formulation was transferred to a cold filling
system and filled into 10 mL aluminum aerosol vials
which were then sealed with 25 μL valves. The
formulation was deemed to be suitable for use in
connection with a metered dose inhaler.

Example 10

A 11.7 g portion of micronized pirbuterol acetate, 3.0 g of oleic acid and 60 g of ethanol were placed in a beaker and homogenized for at least 3

minutes. The resulting slurry was transferred to a tared glass bottle and enough ethanol was added to bring the total weight of the concentrate to 144.7 g. The concentrate was chilled then placed along with 1155 g of prechilled HFC 227 into a prechilled cold filling system. The formulation was filled into 10 mL aluminum aerosol vials which were then sealed with 25 µL Spraymiser™ valves. The resulting formulation contained 0.90 percent by weight of pirbuterol acetate, 0.23 percent by weight of oleic acid and 10.0 percent by weight of ethanol. The formulation was deemed to be suitable for use in connection with a metered dose inhaler.

In Examples 11-12 below, respirable fraction 15 is determined using the test method described below.

#### Respirable Fraction

In this assay the respirable fraction (the percent by weight of particles having an aerodynamic 20 particle size of less than 4.7 microns) of the aerosol suspension is determined using an Anderson Cascade Impactor (available from Anderson Sampler Inc.; Atlanta, GA).

The aerosol vial to be tested is primed five

25 times. The valve and valve stem are then cleaned with
methanol and dried with compressed air. The aerosol
vial and a clean, dry actuator are coupled to the glass
throat attached to the top of the impactor using an
appropriate firing adaptor. The calibrated vacuum pump

30 (28.3 L/min) attached to the cascade impactor is turned
on. A total of 20 sprays is delivered into the cascade
impactor by repeatedly shaking the vial, seating it in
the actuator and immediately delivering a single spray.
The time between sprays is approximately 30 seconds.

35 The cascade impactor is disassembled and each component
is rinsed separately with diluent (55 parts methanol
mixed with 45 parts of 0.1 percent aqueous phosphoric
acid, v/v). Each solution is analyzed for pirbuterol

G

acetate content using high performance liquid chromatography. The respirable fraction is calculated as follows:

5 % respirable = <u>drug recovered from plates 3-7</u> X 100 total drug - drug recovered from recovered actuator and valve

#### Example 11

A 1.35 g portion of micronized pirbuterol 10 acetate and 25 mL of glass beads were placed in a 120 mL (4 ounce) glass aerosol vial. The vial was sealed with a continuous valve, pressure filled with approximately 150 g of HFC 227 and then shaken for at 15 least 10 minutes on an automatic shaker. The resulting formulation contained 0.9 percent by weight of pirbuterol acetate. The vial was then charged with 150 psi nitrogen to aid in product transfer to smaller vials. The formulation was transferred to 10 mL 20 aluminum aerosol vials sealed with continuous valves by using a valve to valve transfer button. The vials were then chilled in dry ice then the continuous valves were removed and the vials sealed with 25  $\mu L$  metering valves. Using the method described above, the 25 respirable fraction was determined in duplicate for two separate vials. Values of 59.1 percent and 54.8 percent were obtained for vial 1. Values of 53.9 percent and 49.3 percent were obtained for vial 2.

30 Example 12

A 1.35 g portion of micronized pirbuterol acetate, 15.0 g of ethanol and 25 mL of glass beads were placed in a 120 mL (4 ounce) glass aerosol vial. The vial was sealed with a continuous valve, pressure filled with approximately 134 g of HFC 227 and then shaken on an automatic shaker for at least 10 minutes. The resulting formulation contained 0.9 percent by weight of pirbuterol acetate and 10 percent by weight

of ethanol. Individual 10 mL aerosol vials were filled and sealed with 25 μL metering valves using the method described in Example 11. Using the test method described above, the respirable fraction was determined in duplicate for two separate vials. Values of 34.9 percent and 32.5 percent were obtained for vial 1. Values of 31.7 percent and 31.3 percent were obtained for vial 2.

In Examples 13-14 below respirable fraction
10 is determined using the test method described above but
using a diluent of 45 parts by volume methanol and 55
parts by volume of 0.1 percent aqueous phosphoric acid.

#### Example 13

A 0.60 g portion of micronized albuterol 15 sulfate and 25 mL of glass beads were placed in a 120 mL (4 ounce) glass aerosol vial. The vial was sealed with a continuous valve and then pressure filled with approximately 150 g of HFC 227 The vial was shaken to 20 disperse the albuterol sulfate. The resulting formulation contained 0.4 percent by weight of albuterol sulfate. The formulation was transferred to 10 mL aluminum aerosol vials sealed with continuous valves by using a valve to valve transfer button. 25 vials were chilled in dry ice then the continuous valves were removed and the vials were sealed with 25  $\mu L$  metering valves. Using the method described above, the respirable fraction was determined in duplicate for two separate vials. Values of 69.3 percent and 60.6 30 percent were obtained for vial 1. Values of 64.0 percent and 63.0 percent were obtained for vial 2.

#### Example 14

A 0.60 g portion of micronized albuterol
35 sulfate, 0.75 g of oleic acid, 22.5 g of ethanol and 25
mL of glass beads were placed in a 120 mL (4 ounce)
glass aerosol vial. The vial was sealed with a
continuous valve and then pressure filled with

 ${\mathfrak C}$ 

approximately 126 g of HFC 227 The vial was shaken to disperse the albuterol sulfate. The resulting formulation contained 0.40 percent by weight of albuterol sulfate, 0.50 percent by weight of oleic acid and 15.0 percent by weight of ethanol. Individual aerosol vials were filled and fitted with 25 μL metering valves using the method described in Example 13. Using the test method described above, the respirable fraction was determined in duplicate for two separate vials. Values of 28.0 percent and 22.0 percent were obtained for vial 1. Values of 27.1 percent and 28.8 percent were obtained for vial 2.

#### Example 15

15
A suspension aerosol formulation containing 0.37 percent by weight of albuterol sulfate, 0.10 percent by weight of sorbitan trioleate (commercially available under the trade designation Span 85), 9.95 percent by weight of ethanol and 89.58 percent by weight of HFC 227 was prepared. The formulation was deemed to be suitable for use in connection with a metered dose inhaler.

#### Example 16

A 4.5 g portion of ethanol was placed in a

125 mL (4 ounce) glass aerosol vial. The vial was
sealed with a continuous valve then pressure filled
with 147 g of HFC 227. Portions (approximately 225 mg)
of micronized pirbuterol acetate were weighed into 6

30 separate 15 mL glass aerosol vials. A 5 mL portion of
glass beads was added to each vial and the vials were
sealed with continuous valves. Each vial was then
pressure filled with approximately 19.8 g of the
ethanol/HFC 227 solution. The resulting formulation

35 contained 3 percent by weight of ethanol and 0.9
percent by weight of pirbuterol acetate. The vials were
then shaken in a paint shaker for 15 minutes. The vials
were cooled in dry ice, the continuous valves were

removed and the contents poured into separate 15 mL aluminum aerosol vials. The aluminum vials were sealed with 25 µL valves equipped with diaphragms fabricated from C-Flex R-70-051 and tanks seals fabricated from 5 DB218. Using the test method described above, the respirable fraction was determined for two separate vials. Values of 59.8% and 52.8% were obtained. Using the test method described above, the ability of the formulation to deliver a consistent dose throughout the 10 "life" of the aerosol was determined. The results are shown in the table below. The values are the average for the indicated shots.

	μg Pirbuterol Acetate/shot						
15	Shot #	Vial 1	Vial 2				
	1 & 2	279.4	304.6				
	101 & 102	197.1	329.9				
	201 & 202	294.9	478.1				
	301 & 302	295.8	294.1				
20	401 & 402	269.6	350.3				

Example 17

Using the general method of Example 16, 6
25 vials of a formulation containing 5 percent by weight
of ethanol and 0.9 percent by weight of pirbuterol
acetate were prepared. Using the method described
above, the respirable fraction was determined for two
separate vials. Values of 48.2% and 43.5% were
30 obtained. Using the method described above, the ability
of the formulation to deliver a consistent dose
throughout the "life" of the aerosol was determined.
The results are shown in the Table below.

Ì	μg Pirbuterol Acetate/shot					
-	Shot ≠	Vial 1	Vial 2			
r	1 & 2	263.9	288.5			
	101 & 102	283.5	325.4			
5	201 & 202	300.6	367.2			
-	301 & 302	330.7	306.6			
	401 & 402	312.8	270.5			

S

3

#### WHAT IS CLAIMED IS:

1. A pharmaceutical suspension formulation suitable for aerosol administration, consisting
5 essentially of a therapeutically effective amount of a drug and a propellant selected from the group consisting of HFC 134a, HFC 227, and a mixture thereof, the formulation being further characterized in that it exhibits substantially no growth in particle size or 10 change in crystal morphology of the drug over a prolonged period, is substantially and readily redispersible, and upon redispersion does not flocculate so quickly as to prevent reproducible dosing of the drug.

15

à

- A formulation according to Claim 1, wherein the propellant is a mixture of HFC 134a and HFC 227.
- 3. A formulation according to Claim 1, wherein the propellant is HFC 227.
  - 4. A formulation according to Claim 1, wherein the propellant is HFC 134a.

25

- 5. A formulation according to Claim 1, wherein the drug concentration is less than about 0.1 percent.
- o. A formulation according to Claim 1, wherein the drug concentration is greater than about 0.1 percent and less than about 0.5 percent.
- 7. A formulation according to Claim 1, 35 wherein the drug concentration is greater than about 0.5 percent.

PCT/US92/10587

3

8. A formulation according to Claim 1, wherein the drug has a potency such that a concentration of less than about 0.1 percent is therapeutically effective.

5

9. A formulation according to Claim 1, wherein the drug is selected from the group consisting of formoterol, salmeterol, and a pharmaceutically acceptable salt thereof.

10

- 10. A formulation according to Claim 1, wherein the drug is formoterol fumarate.
- 11. A formulation according to Claim 1,
  15 wherein the drug is selected from the group consisting of albuterol, beclomethasone dipropionate, cromolyn, pirbuterol, and a pharmaceutically acceptable salt or solvate thereof.
- 12. A formulation according to Claim 1, wherein the drug is selected from the group consisting of albuterol sulfate, disodium cromoglycate, and pirbuterol acetate.
- 25 13. A formulation according to Claim 2, wherein the drug is formoterol fumarate.
- 14. A formulation according to Claim 13,wherein the mixture contains substantially equal30 amounts of HFC 134a and HFC 227.
- 15. A metered dose aerosol canister containing a formulation according to Claim 1 in an amount sufficient to provide a plurality of therapeutically effective doses of the drug.
  - 16. A method of preparing a formulation according to Claim 1, comprising the steps of: (i)

PCT/US92/10587

combining an amount of the drug sufficient to provide a plurality of therapeutically effective doses and a propellant selected from the group consisting of HFC 134a, HFC 227, and a mixture thereof in an amount sufficient to propel from an aerosol canister a plurality of therapeutically effective doses of the drug; and (ii) dispersing the drug in the propellant.

- 17. A method of treating a mammal having a 10 condition capable of treatment by inhalation, comprising the step of administering by inhalation a formulation according to Claim 1 to the mammal.
- 18. A suspension aerosol formulation
  15 comprising a therapeutically effective amount of micronized drug selected from the group consisting of pirbuterol acetate and pirbuterol hydrochloride, and a propellant comprising HFC 227 the formulation being further characterized in that it is substantially free
  20 of perfluorinated surfactant.
  - 19. A formulation according to Claim 18, wherein the drug is pirbuterol acetate.
- 25 20. A suspension aerosol formulation comprising a therapeutically effective amount of micronized albuterol sulfate and HFC 227 as substantially the only propellant.

/ International Application No

Г	I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) <sup>6</sup>						
1	According	o International Patent	Classification (IPC) or to both National	Classification and IPC			
		5 A61K9/00					
H	II. FIELDS	SEARCHED					
ŀ			Minimum Docum	nentation Searched?			
ŀ	Classificati	on System		Classification Symbols			
Ī	Int.Cl.	. 5	A61K				
ľ	Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched <sup>8</sup>						
Ĺ	III. DOCUI	MENTS CONSIDERE	D TO BE RELEVANT	rists of the milwant nassages 12	Relevant to Claim No.13		
	Category °	Citation of D	ocument, 11 with indication, where approp	tiate, or the terevant have bee			
	Y Y	13 June cited i see cla see pag see pag see pag see pag see exa WO,A,9 8 Augus	n the application ims e 2, line 39 - line 44 e 4, line 50 - line 58 e 5, line 1 - line 10 e 5, line 19 e 5, line 29 - line 34 mple 24 111 495 (BOEHRINGER IN		1-20		
		see cla see pag		-/			
	"Special categories of cited documents: 10  "A" document defining the general state of the art which is not considered to be of particular relevance  "E" earlier document but published on or after the international filing date  "I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or other means  "P" document published prior to the international filing date but later than the priority date claimed  "T" later document published after the international or priority date and not in conflict with the cited to understand the principle or theor invention  "X" document of particular relevance; the cla cannot be considered to involve an inventive and considered to involve an invention of the c				y underlying the med invention considered to med invention ive step when the other such docu- o a person skilled		
1	IV. CERTI	FICATION					
	Date of the Actual Completion of the International Search 17 MARCH 1993			Date of Mailing of this International Search Report  0 7. 04.93			
	Internation	al Searching Authority EUROPE	AN PATENT OFFICE	Signature of Authorized Officer SCARPONI U.			

International Application No					
III. DOCUM	TENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)	Relevant to Claim No.			
Category o	Citation of Document, with indication, where appropriate, of the relevant passages				
<b>Y</b>	WO,A,9 104 011 (RIKER) 4 April 1991 cited in the application see claims 1-8 see page 6, line 27 - line 32 see page 9, line 20 see page 10, line 20 - line 23	1-20			
P,Y	WO,A,9 208 446 (GLAXO) 29 May 1992 see claims see page 2, line 31 - line 32 see page 3, line 16 - line 28	1-20			
		·			
		-			

## INTERNATIONAL SEARCH REPORT

International application No.

# PCT/US 92/10587

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)				
This international search report has not been established in respect of certain claims under Article 17(2)(2) for the following reasons:				
1. Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely: Although claim 17 is directed to a method of treatment of the human body by				
therapy (RULE (IV) PCT), the search has been carried out and based on the a lleged effects of the composition.				
2. Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:				
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).				
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)				
This International Searching Authority found multiple inventions in this international application, as follows:				
·				
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.				
2. As all searchable claims could be searches without effort justifying an additional fee, this Authority did not invite payment of any additional fee.				
As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:				
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:				
Remark on Protest  The additional search fees were accompanied by the applicant's protest.				
No protest accompanied the payment of additional search fees.				

# ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

US 9210587 SA 68291

This amex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.

The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

17/03/93

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
EP-A-0372777	13-06-90	AU-B- AU-A- CA-A- DE-U- EP-A- JP-A-	631155 4595689 2004598 6890430 0499344 2200627	19-11-92 14-06-90 06-06-90 18-02-93 19-08-92 08-08-90
WO-A-9111495	08-08-91	DE-A- AU-A- EP-A-	4003272 7211391 0514415	08-08-91 21-08-91 25-11-92
WO-A-9104011	04-04-91	AU-A- EP-A-	6409790 0493437	18-04-91 08-07-92
WO-A-9208446	29-05-92	AU-A-	8877891	11-06-92

FORM POCT

o For more details about this annex : see Official Journal of the European Patent Office, No. 12/82